

**Oest Colometa - SYNTHETICS**

	Oest Colometa ...	Performance		Coolant type			Materials ✓=suitable , L=limited							Note	coolant data		
		% total oil	Lubricity	Bactericide-free	Boron-free	Bacterial stability	cast iron	mild steel	high tensile, stainless st.	Yellow metals	Aluminium AW (wrought)	Aluminium AC (casted)	Carbides		% minimal concentration	water hardness °gh	Refractometer-factor
35964	... ecoS 427	0	±	✓		4+	✓	✓	✓		L			very fast air release	3*	<5 - 20	2,5
35925	... SBF-PN	0	+	✓	✓	4+	✓	✓	✓	L	L			no sticky residues	5	<5 - 60	1,8
35041	... SKNF	0	+		✓	2+	✓	✓	✓	L	L			exotic materials: sensors, magnets	5	5 - 60	1,4
35871	... SHD-A	0	+++	✓	✓	5+	L	✓	✓	✓	✓	✓		exclusive for Non-EU	5	0 - 20	1,6
35962	... ecoS 604	0	+++	✓	✓	5+	L	✓	✓	✓	✓	✓		low pH (7,8). LOW CONSUMPTION	5	0 - 20	1,5
35988	... ecoS 604-2	0	++++	✓	✓	5+	L	✓	✓	✓	✓	✓		pH 7,9.	5	0 - 20	1,9
35949	... SHD-AN2	0	++	✓	✓	5+	L	✓	✓	✓	✓	✓		min. conc. 7%	7	0 - 20	1,9
35819	... SSK-H 7	0	+	✓	✓	4+	L	✓	✓	✓	✓		✓	improved biostability & corr.protection	5	0 - 40	1,8

\*) under suitable conditions